



OVEN DIMENSIONS

MODEL	WORK SPACE W x D x H	KW	VOLUME CU. FT.	INSULATION THICKNESS	"A"	"B"	"C"
NB-350	28" x 24" x 18"	2.0	7.0	2"	28"	24"	18"
NB-550	26" x 22" x 16"	2.4	5.3	3"	26"	22"	16"



NOTES

- STANDARD ELECTRICAL SERVICE:
115/1/60, 3-WIRE CORD PLUG
208/1/60, 230/1/60,

OTHER ELECTRICAL CHARACTERISTICS
AVAILABLE
- MAX. OPERATING TEMPERATURE:
NB-350: 350 DEG. F
NB-550: 550 DEG. F
- AIR FLOW: HORIZONTAL, SIDE TO
SIDE
- INTERIOR: 304 STAINLESS STEEL, WITH
CARBON STEEL BLOWER WHEEL
- EXTERIOR: 304 BRUSHED STAINLESS STEEL

REV.	DESCRIPTION	BY	DATE
DESCRIPTION			
CUSTOMER			
MODEL NB-350, NB-550 FORCED CONVECTION BENCH OVENS			
SHOP ORDER			
DRAWN BY	PJD	DWG. NO.	NB-350 NB-550
DATE	PRINT DATE	5/29/2013	

This drawing is the property of
THE GRIEVE CORPORATION,
and may not be used or reproduced
without the express permission of
THE GRIEVE CORPORATION